

COCKROACH TRAP

PRODUCT NAME: Trappit™ CR Pad RTU
PRODUCT CODE: 13729

PRODUCT DESCRIPTION

Scientifically designed sticky pad for use in permanent or semi-permanent roach traps as a replacement attractive glue surface. The trap has a non hazardous food mimic attractant integrated into a formulated layer beneath the glue.

Approximate Dimensions (Assembled)	59 mm x 77 mm (± 2 mm)
Material	Laminated Card
Approximate Weight (per Pad)	2.2 g
Packaging	Cartons
Pack size	20 packs of 100 traps

RECOMMENDATIONS FOR USE

Below information is general use information for the pads. Please also refer to the instructions for the permanent or semi-permanent roach traps used.

TRAP DETAILS:

Sticky traps are useful tools to detect and monitor cockroach populations, indicate the source of an infestation and/or assess the efficacy of a control treatment. The attractant and glue in the pads have been developed to monitor the three main cockroach species *Blattella germanica*, *Blatta orientalis* and *Periplaneta americana* but will also attract other cockroach species.

PLACEMENT OF TRAPS

Traps should be distributed throughout the area being monitored, with particular attention being paid to those areas most susceptible to cockroach infestation eg damp, dark areas (such as ducting) or under machinery where food debris can accumulate.

Each trap should be numbered and the area being monitored should be mapped. The number of each trap should be recorded along with its position. Traps must be inspected regularly, preferably weekly, and the inspection intervals (dates) and catches should be recorded for each trap.

TRAP SERVICING

The Suterra Trappit™ CR pad has an activity for 6 weeks. Pads should be changed after this time or sooner if high cockroach catches have reduced the catching area of the glue surface. Performance and attractiveness may be reduced in wet, humid or dusty locations.

INTERPRETATION OF DATA

High numbers of roaches on a trap indicate close proximity to the source of infestation or to the entry point of insects into a building - these should be the target areas for a control programme. Increasing numbers of cockroaches at each inspection imply that the population is increasing and risk surpassing acceptable levels and that a control treatment is necessary. After a treatment traps should be used to indicate the success or failure of that treatment. In areas of low infestation the traps are useful as a sensitive detection tool allowing early action to be taken before the population rises to significant levels.

Version No	Date	Reason for Revision
1	20/11/15	First Issue

For Safety, Environmental and Disposal details see the corresponding Safety Data Sheet